²						PA-IC	<u>×</u>
QU	JERY CONTR	OL FORM				RTIS U	SE ONLY
Ap	plication No.	09 974 8	09	Prepared by	Lois Stone	Tracking Number	<u>5915961</u>
Exa	aminer-GAU	Locenço - L	134	Date	5/26/04	Week Date	3/8/04
		3		No. of queries	' a '	FFW	- , ,

JACKET				
a. Serial No.	f. Foreign Priority	k. Print Claim(s)	p. PTO-1449	
b. Applicant(s)	g. Disclaimer	I. Print Fig.	q. PTOL-85b	
c. Continuing Data	h. Microfiche Appendix	m. Searched Column	r. Abstract	
d. PCT	i. Title	n. PTO-270/328	s. Sheets/Figs	
e. Domestic Priority	j. Claims Allowed	o. PTO-892	t. Other	

SPECIFICATION	MESSAGE
a. Page Missing	1. Please provide a copy of the pro-1449 form with
b. Text Continuity	the citations either initialed or lined through
c. Holes through Data	3
d. Other Missing Text	a. Claim 18 (original claim 40) ends incomplète
e. Illegible Text	a. Claim 18 (original claim 40) ends incomplète with the words "length of the".
f. Duplicate Text	3
g. Brief Description	Capies provided for reference.
h. Sequence Listing	
i. Appendix	
j. Amendments	
k. Other	
CLAIMS	
a. Claim(s) Missing	
b. Improper Dependency	Thank you,
c. Duplicate Numbers	
d. Incorrect Numbering	initials 🔱
e. Index Disagrees	RESPONSE
f. Punctuation	
g. Amendments	
h. Bracketing	
i. Missing Text	
j. Duplicate Text	
k. Other	
	initials

INFORMATION DISCLOSURE CITATION IN AN APPRICATION

(Use several sheets if necessary)

Attorney Docket No.: 2001-1275-3

Application No.: 09/974,809

Applicant:

Thomas L. BRANDT et al.

Filing Date:

October 12, 2001

Group Art Unit:

1734

U.S. PATENT DOCUMENTS

Examiner Initial	Document Number	Date	Name	Class	Subclass	Filing date (if appropriate)
	5,735,996	4/7/1998	Asghar et al.			· · · · · · · · · · · · · · · · · · ·
	5,709,770	1/20/1998	Asghar et al.			
	5,650,037	7/22/1997	Larson			
	2,674,299	4/1954	Bruker			
	3,616,073	10/1971	МсСігт			
	4,806,197	2/1989	Harvey			
	5,147,495	9/1992	Douglas			
	5,156,714	10/1992	Thomas			
	5,571,368	11/1996	Barge			
					·	
						
	·-··					
		 				
	· · · · · · · · · · · · · · · · · · ·	 		- 		
		 		-		

FOREIGN PATENT DOCUMENTS

Examiner Initial	Document Number	Date	Country	Class	Subclass	Translation	
						Yes	No
	0 183 440	6/1986	European Patent Office				
	0 511 605	4/1992	European Patent Office			-	
	32 40 041	5/1984	Germany				
	WO 94/05515	3/1994	WIPO				
	WO 96/09966	4/1996	WIPO				
							-
			1				

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

OTHER DOCUMENTS (Including Addior, 11de, Date, Pertinent Pages, Etc.)
Derwent Abstract for DE 32 41 041
Derwent Abstract for EP 0 511 605
 European Search Report of Corresponding Application, PCT/DE/96/00365 of Jul. 4, 1996
· · · · · · · · · · · · · · · · · · ·

EXAMINER:

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.

^{*} Abstract provided for the Examiner's convenience

BRANDT et al. 09/974,809

wherein each receiver can be driven by the carrier web via the packages.

-38. (new) Apparatus according to claim 32, wherein the receivers for the packages comprise a separate drive.

14
--36. (new) Apparatus according to claim 32, wherein the receivers comprise a separate drive for providing a velocity which is less than a transfer velocity, and that the transfer velocity is generated through contact between the packages and the carrier web.

the pressure applying device is preceded by a moveable heating element with a contact surface, wherein the size of the contact surface between the heating element and the carrier web can be adjusted continuously between zero and a maximum value.

--38. (new) Apparatus according to claim 37, wherein the contact surface of the heating element has a convex shape.

-3%. (new) Apparatus according to claim 3%, further comprising a post-treatment unit having an electrically powered hot plate with a flat or concave hot surface and a controller which is adjustable to a nominal temperature.

-40. (new) Apparatus according to claim 39, wherein the flat hot surface (21) relates to a linear transport conveyor and the concave hot surface (21) relates to a circular transport conveyor for the packages (5) and that the length of the